Index of Authors

Abad, J. *see* Klein, G.
Abadias, M., Teixidó, N., Usall, J., Viñas, I. & Magan, N. Solute stresses affect growth patterns, endogenous water potentials and accumulation of sugars and sugar alcohols in cells of the biocontrol yeast *Candida sake*, 1009
Abdel Malek, S.M.A. *see* Winder, C.L.
Accioly, J.M. *see* Durmic, Z.
Akao, T. *see* Kim, H.-S.
Al-Adham, I.S.I. *see* Winder, C.L.
Al-Adham, I.S.I., Khalil, E., Al-Hmoud, N.D., Kierans, M. & Collier, P.J. Yeast communities and genetic polymorphism of *Saccharomyces cerevisiae* strains associated with artisanal fermentation in Brazil, 32
Al-Hmoud, N.D. *see* Al-Adham, I.S.I.
Ali-Vehmas, T. *see* Koskinen, R.
Amaro, C. *see* Marco-Noales, E.
Andersson, A.-C. *see* Wikström, P.
Andrighetto, C. *see* Suzzi, G.
Anthoni, U. *see* Nielsen, T.H.
Antoine, J.M. *see* Grill, J.P.
Arendt, E.K. *see* Scannell, A.G.M.
Ascencio, F., Hirst, T.R. & Wadström, T. Production and secretion of collagen-binding proteins from *Aeromonas veronii*, 607
Atroshi, F. *see* Koskinen, R.
Attfield, P.V., Kletsas, S., Veal, D.A., Van Rooijen, R. & Bell, P.J.L. Use of flow cytometry to monitor cell damage and predict fermentation activity of dried yeasts, 207
Austin, B. *see* Suginta, W.

Baker, J.R. *see* Hamouda, T.
Ballester, N.A. *see* Chapron, C.D.
Bánhegyi, I. *see* Földes, T.
Bansal, N., Sinha, I. & Virdi, J.S. Virulence plasmid (pYV)-associated susceptibility of *Yersinia enterocolitica* to chlorine and heavy metals, 663
Barker, J. & Bloomfield, S.F. S to 23S rRNA spacer fragment length polymorphism of *Salmonella enterica* at subspecies and serotype levels, 137
Barrett, M.P. *see* Hasne, M.-P.
Baruzzi, F., Morea, M., Matarante, A. & Cocconcelli, P.S. Changes in the *Lactobacillus* community during Ricotta forte cheese natural fermentation, 807
Baudart, J. *see* Parthuisot, N.
Bavor, H.J. *see* Davies, C.M.
Baylis, C.L., Macphee, S. & Betts, R.P. Occurence of lectins and hydrophobicity of bacteria obtained from biofilm of hospital catheters and water pipes, 501
Baylis, C.L., Macphee, S., Martin, K.W., Humphrey, T.J. & Betts, R.P. Comparison of three enrichment media for the isolation of *Campylobacter* spp. from foods, 884
Beal, R. & Betts, W.B. High expression of the penicillin G acylase gene (*pac*)from *Bacillus megaterium* UN1 in its own *pac* minus mutant, 158
Beattie, K.A. *see* Metcalf, J.S.
Bell, P.J.L. *see* Attfield, P.V.
Bendiksen, H.R. *see* Ringø, E.
Benkerroum, N., Oubel, H., Zahar, M., Dlia, S. & Filali-Maltouf, A. Isolation of a bacteriocin-producing *Lactococcus lactis* subsp. *lactis* and application to control *Listeria monocytogenes* in Moroccan jben, 960
Bennik, M.H.J. *see* Karatzas, A.K.
Berg, G. *see* Marten, P.
Betts, R.P. *see* Baylis, C.L.
Betts, R.P. *see* Baylis, C.L.
Betts, W.B. *see* Beal, R.
Beuchat, L.R. *see* Burnett, S.L.
Biosca, E.G. *see* Marco-Noales, E.
Björklöf, K., Nurmiaho-Lassila, E.-L., Klinger, N., Haahtela, K. & Romantschuk, M. Colonization strategies and conjugal gene transfer of inoculated *Pseudomonas syringae* on the leaf surface, 423
Blair, I.S. *see* Duffy, G.
Blair, I.S. *see* Mcmahon, C.M.M.
Blanco, P. *see* Vilanova, M.
Blaut, M. *see* Schneider, H.
Block, J.C. *see* Fiorina, J.C.
Bloomfield, S.F. *see* Barker, J.
Blum, L.J. *see* Oulahal-Lagsir, N.
Bonneau, M. *see* Oulahal-Lagsir, N.
Borgen, K., Simonsen, G.S., Sundsfjord, A., Wasteson, Y., Olsvik, Ø. & Kruse, H. Continuing high prevalence of VanA-type vancomycin resistant enterococci on Norwegian poultry farms three years after avoparcin was banned, 478
Bosche, E.H., Van Doorne, H. & De Vries, S. The lactoperoxidase-system: the influence of iodide and the chemical and antimicrobial stability over the period of about 18 months, 215
Brandelli, A. *see* Sangali, S.
Brown, K.L. *see* Taylor, J.H.
Brözel, V.S. *see* Macdonald, R.
Brözel, V.S. *see* Theron, J.
Budroni, M., Giordano, G., Pinna, G. & Farris, G.A. A genetic study of natural *flor* strains of *Saccharomyces cerevisiae* isolated during biological aging from Sardinian wines, 657
Buist, G. *see* Martinez-Cuesta, M.C.
Burnett, S.L., Gehm, E.R., Weissinger, W.R. & Beuchat, L.R. Survival of *Salmonella* in peanut butter and peanut butter spread, 472
Buultjens, T.E.J. *see* Winder, C.L.
Byrne, C.M. *see* Mcmahon, C.M.M.

Caballero, P. *see* Porcar, M.
Caccamo, D. *see* Maugeri, T.L.
Cara, D.C. *see* Rodrigues, A.C.P.
Carballo, J. *see* Vilar, I.
Caruso, G. & Zaccone, R. Estimates of leucine aminopeptidase activity in different marine and brackish environments, 951
Caruso, M. *see* Suzzi, G.
Casadei, M.A., Ingram, R., Skinner, R.J. & Gaze, J.E. Heat resistance of *Paenibacillus polymyxa* in relation to pH and acidulants, 801
Casas, I.A. *see* Klein, G.
Castro, M. *see* Vilanova, M.
Catala, P. *see* Parthuisot, N.
Cayuela, C. *see* Grill, J.P.
Chapot-Chartier, M.-P. *see* Cibik, R.
Chapron, C.D., Ballester, N.A. & Margolin, A.B. Detection of cryptosporidia and *Cryptosporidium parvum* oocysts in environmental water samples by immunomagnetic separation-polymerase chain reaction, 11
Chart, H., Smith, H.R., La Ragione, R.M. & Woodward, M.J. An investigation into the pathogenic properties of *Escherichia coli* strains BLR, BL21, DH5α and EQ1, 1048
Chen, C. & Liu, B.Y. Changes in major components of tea fungus metabolites during prolonged fermentation, 834
Cheung, H.Y., Sun, S.Q., Sreedhar, B., Ching, W.M. & Tanner, P.A. Changes in viability and macromolecular content of long-term batch cultures of *Salmonella typhimurium* measured by flow cytometry, 100
Ching, W.M. *see* Cheung, H.Y.
Christensen, H., Møller, P.L., Vogensen, F.K. & Olsen, J.E. Denitrification by indigenous microbial populations of river water measured using membrane inlet mass spectrometry, 130
Christogianni, A. *see* Tegos, G.
Christophersen, C. *see* Nielsen, T.H.
Cibik, R. & Chapot-Chartier, M.-P. Autolysis of dairy leuconostocs and detection of peptidoglycan hydrolases by renaturing SDS-PAGE, 862
Cilliers, J. *see* Theron, J.
Cocconcelli, P.S. *see* Baruzzi, F.
Cockburn, J.E. *see* Winters, A.L.
Codd, G.A. *see* Metcalf, J.S.
Collier, P.J. *see* Al-Adham, I.S.I.
Collier, P.J. *see* Winder, C.L.
Coloe, P.J. *see* Lee, A.
Cooper, A. *see* Ward, G.D.
Corrier, D.E. *see* Durant, J.A.
Cortés, S. *see* Vilanova, M.
Costa, E., Usall, J., Teixidó, N., Garcia, N. & Viñas, I. Effect of protective agents, rehydration media and initial cell concentration on viability of *Pantoea agglomerans* strain CPA-2 subjected to freeze-drying, 793
Crowell, DC. *see* Kullen, M.J.
Cryan, B. *see* Lucey, B.
Cumby, T.R. *see* Turner, C.
Cunha, F.Q. *see* Rodrigues, A.C.P.

D'Haese, E. & Nelis, H.J. Effect of antibiotics on viability staining of *Escherichia coli* in solid phase cytometry, 778
Dalgaard, P. *see* Jørgensen, L.V.
Davies, C.M. & Bavor, H.J. The fate of stormwater-associated bacteria in constructed wetland and water pollution control pond systems, 349
Davies, P.R., Turkson, P.K., Funk, J.A., Nichols, M.A., Ladely, S.R. & Fedorka-Cray, P.J. Role of rhamnolipid biosurfactants in the uptake and mineralization of hexadecane in *Pseudomonas aeruginosa*, 169
Davis, K.L. *see* Tennen, R.
De Barros Lopes, M. *see* Yap, N.A.
De Cal, A. *see* Pascual, S.
De Jonge, R. *see* Takumi, K.
De Vries, S. *see* Bosche, E.H.
Dhanoa, M.S. *see* Winters, A.L.
Dlia, S. *see* Benkerroum, N.
Doeswijk-Voragen, C.H.L. *see* Looijesteijn, P.J.
Drainas, C. *see* Savvides, A.L.
Drainas, C. *see* Tegos, G.
Drake, M.A. *see* Mckillip, J.L.
Du Preez, M. *see* Theron, J.
Dubois Brissonnet, F. *see* Gnanou Besse, N.
Duffy, G., Kilbride, B., Sheridan, J.J., Blair, I.S. & Mcdowell, D.A. A membrane-immuofluorescent-viability staining technique for the detection of *Salmonella* spp. from fresh and processed meat samples, 587
Durant, J.A., Corrier, D.E., Stanker, L.H. & Ricke, S.C. Efficient method for the detection of microbially-produced antibacterial substances from food systems, 63
Durmic, Z., Pethick, D.W., Mullan, B.P., Schulze, H., Accioly, J.M. & Hampson, D.J. Extrusion of wheat or sorghum and/or addition of exogenous enzymes to pig diets influences the large intestinal microbiota but does not prevent development of swine dysentery following experimental challenge, 678

Edwards, C. *see* Firth, J.R.
Edwards, C. *see* Turner, K.

Falcão, D.P. *see* Gibotti, A.
Fanning, S. *see* Lucey, B.
Farris, G.A. *see* Budroni, M.
Fedorka-Cray, P.J. *see* Davies, P.R.
Feurer, C. *see* Lucey, B.
Fiedurek, J. & Gromada, A. Chitinases from *Vibrio*: activity screening and purification of chiA from *Vibrio carchariae*, 85

Filali-Maltouf, A. *see* Benkerroum, N.
Fiorina, J.C., Weber, M. & Block, J.C. Production of B-group vitamins by two *A,* 494
Firrao, G. *see* Palmano, S.
Firth, J.R. & Edwards, C. Influence of different substrate limitations on the yield, composition and molecular mass of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* in continuous cultures, 123
Földes, T., Bánhegyi, I., Herpai, Z., Varga, L. & Szigeti, J. Isolation of *Bacillus* strains from the rhizosphere of cereals and *in vitro* screening for antagonism against phytopathogenic, food-borne pathogenic and spoilage micro-organisms, 840
Forsman, M. *see* Wikström, P.
Fothergill-Gilmore, L.A. *see* Suginta, W.
Frech, G. & Schwarz, S. Molecular analysis of tetracycline resistance in *Salmonella enterica* subsp. *enterica* serovars Typhimurium, Enteritidis, Dublin, Choleraesuis, Hadar, Saintpaul: construction and application of specific gene probes, 633
Fretez, S.H.G.G. *see* Rodrigues, A.C.P.
Fry, S.C. *see* Suginta, W.
Fujiyama, K. *see* Panbangred, W.
Fukui, M. *see* Ishii, K.
Funk, J.A. *see* Davies, P.R.

Gandolfi, R., Marinelli, F., Lazzarini, A. & Molinari, F. Cell-bound and extracellular carboxylesterases from *Streptomyces*: hydrolytic and synthetic activities, 870
Garcia Fontán, M,C *see* Vilar, I.
Garcia, N. *see* Costa, E.
Gardini, F. *see* Suzzi, G.
Gardner, M.N. & Rawlings, D.E. Determination of metabolic activity of streptomycetes in soil microcosms, 185
Gavriel, A.A. *see* Landre, J.P.B.
Gaze, J.E. *see* Casadei, M.A.
Gehm, E.R. *see* Burnett, S.L.
Gibotti, A., Saridakis, H.O., Pelayo, J.S., Tagliari, K.C. & Falcão, D.P. Expression of the *hilA Salmonella typhimurium* gene in a poultry *Salm. enteritidis* isolate in response to lactate and nutrients, 70
Giménez, M. *see* González-Fandos, E.
Giordano, G. *see* Budroni, M.
Gnanou Besse, N., Dubois Brissonnet, F., Lafarge, V. & Leclerc, V. Effect of various environmental parameters on the recovery of sublethally salt-damaged and acid-damaged *Listeria monocytogenes*, 944
González-Fandos, E., Giménez, M., Olarte, C., Sanz, S. & Simrc, V. Effect of packaging conditions on the growth of microorganisms and the quality characteristics of fresh mushrooms *(Agaricus bisporus)* stored at inadequate temperatures, 624
Greenman, J. *see* Saunders, K.A.
Greer, P. *see* Lucey, B.
Grill, J.P., Cayuela, C., Antoine, J.M. & Schneider, F. Isolation and characterization of a *Lactobacillus amylovorus* mutant depleted in conjugated bile salt hydrolase activity: relation between activity and bile salt resistance, 553
Gromada, A. *see* Fiedurek, J.
Guerra, J.B. *see* Pataro, C.
Guerzoni, M.E. *see* Suzzi, G.
Gugliandolo, C. *see* Maugeri, T.L.
Guillot, E. *see* Hallier-Soulier, S.
Guo, X. & Ota, Y. Alterations in extracellular substances during the biofilm development of *Pseudomonas aeruginosa* on aluminium plates, 107

Haahtela, K. *see* Björklöf, K.
Hallier-Soulier, S & Guillot, E. Instructions for authors, 5
Hallmann, C. *see* Klein, G.
Halme, T. *see* Lyra, C.
Hamouda, T. & Baker, J.R. Antimicrobial mechanism of action of surfactant lipid preparations in enteric gram-negative bacilli, 397
Hampson, D.J. *see* Durmic, Z.
Harris, J. *see* Turner, N.A.
Hartikainen, T., Ruuskanen, J., Räty, K., Von Wright, A. & Martikainen, P.J. Physiology and taxonomy of *Thiobacillus* strain TJ330, which oxidizes carbon disulphide (CS_2), 580
Hartmann, L. *see* Schneider, H.
Hartmeier, W. *see* Scannell, A.G.M.
Hasne, M.-P. & Barrett, M.P. REVIEW: Drug uptake via nutrient transporters in *Trypanosoma brucei*, 697
Hauge, H.H. *see* Martinez-Cuesta, M.C.
Havelaar, A. *see* Takumi, K.
Hegarty, T. *see* Mcmahon, C.M.M.
Henschke, P.A. *see* Yap, N.A.
Herpai, Z. *see* Földes, T.
Hickey, R. *see* Morgan, S.M.
Higuchi, K. *see* Kim, H.-S.
Hill, C. *see* Morgan, S.M.
Hill, C. *see* Scannell, A.G.M.
Hirst, T.R. *see* Ascencio, F.
Holah, J.T. *see* Taylor, J.H.
Hopkins, M.J. & Macfarlane, G.T. Evaluation of 16S rRNA and cellular fatty acid profiles as markers of human intestinal bacterial growth using the chemostat, 668
Horrocks, A.J. *see* Winder, C.L.
Hugenholtz, J. *see* Looijesteijn, P.J.
Humphrey, T.J. *see* Baylis, C.L.
Huss, H.H. *see* Jørgensen, L.V.
Hyenstrand, P. *see* Metcalf, J.S.
Ingram, R. *see* Casadei, M.A.

Ishii, K., Fukui, M. & Takii, S. Microbial succession during a composting process as evaluated by denaturing gradient gel electrophoresis analysis, 768

Jang, M.-H. *see* Lee, S.J.
Jansen, P.A. *see* Ringø, E.
Jaykus, L.A. *see* Mckillip, J.L.
Jørgensen, L.V., Huss, H.H. & Dalgaard, P. The effect of biogenic amine production by single bacterial cultures and metabiosis on cold-smoked salmon, 920
Juhasz, A.L. & Naidu, R. Enrichment and isolation of non-specific aromatic degraders from unique uncontaminated (plant and faecal material) sources and contaminated soils, 642

Kallimanis, A. *see* Savvides, A.L.
Kämpfer, P. *see* Koskinen, R.
Karagouni, A.D. *see* Katsifas, E.A.
Karagouni, A.D. *see* Savvides, A.L.
Karatzas, A.K., Bennik, M.H.J., Smid, E.J. & Kets, E.P.W. Combined action of S-carvone and mild heat treatment on *Listeria monocytogenes* Scott A, 296
Karnland, O. *see* Pedersen, K.
Karpouzas, D.G. & Walker, A. Microemulsions are membrane-active, antimicrobial, self-preserving systems, 40
Katsifas, E.A., Koraki, T.G. & Karagouni, A.D. Comparison of methods for isolating *Salmonella* bacteria from faeces of naturally infected pigs, 178
Keshri, G. & Magan, N. Detection and differentiation between mycotoxigenic and non-mycotoxigenic strains of two *Fusarium* spp. using volatile production profiles and hydrolytic enzymes, 825
Kets, E.P.W. *see* Karatzas, A.K.
Khalil, E. *see* Al-Adham, I.S.I.
Kierans, M. *see* Al-Adham, I.S.I.
Kilbride, B. *see* Duffy, G.
Kim, H.-S. *see* Lee, S.J.
Kim, H.-S., Yamashita, S., Akao, T., Saitoh, H., Higuchi, K., Park, Y.S., Mizuki, E. & Ohba, M. The detection of astrovirus in sludge biosolids using an integrated cell culture nested PCR technique, 16
Klaenhammer, T.R. *see* Kullen, M.J.
Klein, G., Hallmann, C., Casas, I.A., Abad, J., Louwers, J. & Reuter, G. Exclusion of *vanA, vanB* and *vanC* type glycopeptide resistance in strains of *Lactobacillus reuteri* and *Lactobacillus rhamnosus* used as probiotics by polymerase chain reaction and hybridization methods, 815
Kletsas, S. *see* Attfield, P.V.
Klinger, N. *see* Björklöf, K.
Klinner, U. *see* Vomberg, A.
Kok, J. *see* Martinez-Cuesta, M.C.
Koka, R. & Weimer, B.C. Isolation and characterization of a protease from *Pseudomonas fluorescens* RO98, 280
Koraki, T.G. *see* Katsifas, E.A.
Koskinen, R., Ali-Vehmas, T., Kämpfer, P., Laurikkala, M., Tsitko, I., Kostyal, E., Atroshi, F. & Salkinoja-Salonen, M. Characterization of *Sphingomonas* isolates from Finnish and Swedish drinking water distribution systems, 687
Kostyal, E. *see* Koskinen, R.
Koukkou, A.I. *see* Savvides, A.L.
Koukkou, A.I. *see* Tegos, G.
Kruse, H. *see* Borgen, K.
Kullen, M.J., Sanozky-Dawes, R.B., Crowell, DC. & Klaenhammer, T.R. Comparison of two commercial preparations of buffered peptone water for the recovery and growth of *Salmonella* bacteria from foods, 511

La Ragione, R.M. *see* Chart, H.
Ladely, S.R. *see* Davies, P.R.
Lafarge, V. *see* Gnanou Besse, N.
Lamb, A.J. *see* Landre, J.P.B.
Lambert, R.J.W. Susceptibility testing: inoculum size dependency of inhibition using the Colworth MIC technique, 275
Lanaridis, P. *see* Pramateftaki, P.V.
Landre, J.P.B., Gavriel, A.A., Rust, R.C. & Lamb, A.J. Survival of *Salmonella* in bathrooms and toilets in domestic homes following salmonellosis, 145
Langridge, P. *see* Yap, N.A.
Lanorte, M.T. *see* Suzzi, G.
Laurikkala, M. *see* Koskinen, R.
Lazim, Z. & Rowbury, R.J. An extracellular sensor and an extracellular induction component are required for alkali induction of alkyl hydroperoxide tolerance in *Escherichia coli*, 651
Lazzarini, A. *see* Gandolfi, R.
Lebaron, P. *see* Parthuisot, N.
Leclerc, V. *see* Gnanou Besse, N.
Lee, A., Smith, S.C. & Coloe, P.J. Detection of a novel campylobacter cytotoxin, 719
Lee, S.J., Jang, M.-H., Kim, H.-S., Yoon, B.-D. & Oh, H.M. Variation of microcystin content of *Microcystis aeruginosa* relative to medium N:P ratio and growth stage, 323
Lemarchand, K. *see* Parthuisot, N.
Lin, H.C. *see* Shangkuan, Y.H.
Linardi, V.R. *see* Pataro, C.
Liu, B.Y. *see* Chen, C.
Liu, S.Q. *see* Mira De Orduña, R.
Lloyd, D. *see* Turner, N.A.
Lombardi, A. *see* Suzzi, G.
Lonvaud-Funel, A. *see* Tonon, T.
Looijesteijn, P.J., Van Casteren, W.H.M., Tuinier, R., Doeswijk-Voragen, C.H.L. & Hugenholtz, J. Incorporation of eicosapentaenoic and docosahexaenoic acids by a yeast (FO726A), 116
Loshon, C.A. *see* Tennen, R.
Louwers, J. *see* Klein, G.
Lucey, B., Feurer, C., Greer, P., Moloney, P., Cryan, B. & Fanning, S. Antimicrobial resistance profiling and DNA Amplification Fingerprinting (DAF) of

thermophilic *Campylobacter* spp. in human, poultry and porcine samples from the Cork region of Ireland, 727
Lyra, C., Halme, T., Torsti, A.-M., Tenkanen, T. & Sivonen, K. Site-specific restriction endonucleases in cyanobacteria, 979

Macdonald, R., Santa, M. & Brözel, V.S. The response of a bacterial biofilm community in a simulated industrial cooling water system to treatment with an anionic dispersant, 225
Macfarlane, G.T. *see* Hopkins, M.J.
Maciorowski, K.G., Pillai, S.D. & Ricke, S.C. Efficacy of a commercial polymerase chain reaction-based assay for detection of *Salmonella* spp. in animal feeds, 710
Macphee, S. *see* Baylis, C.L.
Macphee, S. *see* Baylis, C.L.
Madden, R.H. *see* Moore, J.E.
Magan, N. *see* Abadias, M.
Magan, N. *see* Keshri, G.
Magan, N. *see* Pascual, S.
Mannu, L., Paba, A., Pes, M. & Scintu, M.F. Genotypic and phenotypic heterogeneity among lactococci isolated from traditional Pecorino Sardo cheese, 191
Marco-Noales, E., Biosca, E.G., Milán, M. & Amaro, C. An indirect immunofluorescent antibody technique for detection and enumeration of *Vibrio vulnificus* serovar e (biotype 2): development and applications, 599
Margolin, A.B. *see* Chapron, C.D.
Marinelli, F. *see* Gandolfi, R.
Marten, P., Smalla, K. & Berg, G. Genotypic and phenotypic differentiation of an antifungal biocontrol strain belonging to *Bacillus subtilis*, 463
Martial-Gros, A. *see* Oulahal-Lagsir, N.
Martikainen, P.J. *see* Hartikainen, T.
Martin, K.W. *see* Baylis, C.L.
Martinez-Cuesta, M.C., Buist, G., Kok, J., Hauge, H.H., Nissen-Meyer, J., Peláez, C. & Requena, T. Biological and molecular characterization of a two-peptide lantibiotic produced by *Lactococcus lactis* IFPL105, 249
Marx, S. *see* Scannell, A.G.M.
Matarante, A. *see* Baruzzi, F.
Maugeri, T.L., Caccamo, D. & Gugliandolo, C. Potentially pathogenic vibrios in brackish waters and mussels, 261
Mcdowell, D.A. *see* Duffy, G.
Mcdowell, D.A. *see* Mcmahon, C.M.M.
Mckillip, J.L., Jaykus, L.A. & Drake, M.A. Factors influencing the ability of *Pseudomonas putida* strains epI and II to degrade the organophosphate ethoprophos, 49
Mcmahon, C.M.M., Byrne, C.M., Sheridan, J.J., Mcdowell, D.A., Blair, I.S. & Hegarty, T. The effect of culture growth phase induction of the heat shock response in *Yersinia enterocolitica* and *Listeria monocytogenes*, 198
Mcmahon, M.A.S. The expression of proteinases and haemolysins by *Aeromonas hydrophila* under modified atmospheres, 415
Meevootisom, V. *see* Panbangred, W.
Melgarejo, P. *see* Pascual, S.
Mendonça-Hagler, L.C. *see* Pataro, C.
Merry, R.J. *see* Winters, A.L.
Metcalf, J.S., Hyenstrand, P., Beattie, K.A. & Codd, G.A. Metabolism of arginine and its positive effect on growth and revival of *Oenococcus oeni*, 532
Mikkelsen, H. *see* Ringø, E.
Milán, M. *see* Marco-Noales, E.
Mira De Orduña, R., Liu, S.Q., Patchett, M.L. & Pilone, G.J. Detection of toxigenic *Vibrio cholerae* from environmental water samples by an enrichment broth cultivation-pit-stop semi-nested PCR procedure, 547
Mizuki, E. *see* Kim, H.-S.
Molinari, F. *see* Gandolfi, R.
Møller, P.L. *see* Christensen, H.
Moloney, P. *see* Lucey, B.
Moore, J.E. & Madden, R.H. The effect of thermal stress on *Campylobacter coli*, 892
Morea, M. *see* Baruzzi, F.
Morgan, S.M., Hickey, R., Ross, R.P. & Hill, C. A comparison of methods for the detection of *Escherichia coli* O157:H7 from artificially-contaminated dairy products using PCR, 56
Morgan, T.D. & Wilson, M. Anti-adhesive and antibacterial properties of a proprietary denture cleanser, 617
Motamedi, M. *see* Pedersen, K.
Mullan, B.P. *see* Durmic, Z.

Naidu, R. *see* Juhasz, A.L.
Nelis, H.J. *see* D'Haese, E.
Nelis, H.J. *see* Van Poucke, S.O.
Nichols, M.A. *see* Davies, P.R.
Nicoli, J.R. *see* Rodrigues, A.C.P.
Nielsen, T.H., Thrane, C., Christophersen, C., Anthoni, U. & Sørensen, J. Structure, production characteristics and fungal antagonism of tensin – a new antifungal cyclic lipopeptide from *Pseudomonas fluorescens* strain 96.578, 992
Nieto, J.J. *see* Tegos, G.
Nigatu, A. Evaluation of numerical analyses of RAPD and API 50 CH patterns to differentiate *Lactobacillus plantarum, Lact. fermentum, Lact. rhamnosus, Lact. sake, Lact. parabuchneri, Lact. gallinarum, Lact. casei, Weissella minor* and related taxa isolated from *kocho* and *tef*, 969
Nissen-Meyer, J. *see* Martinez-Cuesta, M.C.
Nurmiaho-Lassila, E.-L. *see* Björklöf, K.
Nutley, M.A. *see* Ward, G.D.
Nychas, G-J.E. *see* Tsigarida, E.
Nygren, Y. *see* Wikström, P.

Oakey, H.J. & Owens, L. A new bacteriophage, VHML, isolated from a toxin-producing strain of *vibrio harveyi* in tropical Australia, 702

Oh, H.M. *see* Lee, S.J.
Ohba, M. *see* Kim, H.-S.
Olarte, C. *see* González-Fandos, E.
Olsen, J.E. *see* Christensen, H.
Olsen, R.E. *see* Ringø, E.
Olsson, S. *see* Thrane, C.
Olsvik, Ø. *see* Borgen, K.
Oscáriz, J.C. & Pisabarro, A.G. Characterization and mechanism of action of cerein 7, a bacteriocin produced by *Bacillus cereus* Bc7, 361
Ota, Y. *see* Guo, X.
Oubel, H. *see* Benkerroum, N.
Oulahal-Lagsir, N., Martial-Gros, A., Bonneau, M. & Blum, L.J. Ultrasonic methodology coupled to ATP bioluminescence for the non-invasive detection of fouling in food processing equipment — validation and application to a dairy factory, 433
Owens, L. *see* Oakey, H.J.

Paba, A. *see* Mannu, L.
Palmano, S. & Firrao, G. Diversity of phytoplasmas isolated from insects, determined by a DNA heteroduplex mobility assay and a length polymorphism of the 16S-23S rDNA spacer region analysis, 744
Panbangred, W., Weeradechapon, K., Udomvaraphant, S., Fujiyama, K. & Meevootisom, V. The response of *Aeromonas hydrophila* to oxidative stress induced by exposure to hydrogen peroxide, 152
Park, Y.S. *see* Kim, H.-S.
Parthuisot, N., Catala, P., Lemarchand, K., Baudart, J. & Lebaron, P. Evaluation of chemchrome V6 for bacterial viability assessment in waters, 370
Pascual, S., De Cal, A., Magan, N. & Melgarejo, P. Surface hydrophobicity, viability and efficacy in biological control of *Pencillium oxalicum* spores produced in aerial and submerged culture, 847
Pataro, C., Guerra, J.B., Petrillo-Peixoto, M.L., Mendonça-Hagler, L.C., Linardi, V.R. & Rosa, C.A. *In vitro* cytotoxicity of non-Cyt inclusion proteins of a *Bacillus thuringiensis* isolate against human cells, including cancer cells, 24
Patchett, M.L. *see* Mira De Orduña, R.
Pedersen, K., Motamedi, M., Karnland, O. & Sandén, T. Mixing and sulphate-reducing activity of bacteria in swelling, compacted bentonite clay under high-level radioactive waste repository conditions, 1038
Peláez, C. *see* Martinez-Cuesta, M.C.
Pelayo, J.S. *see* Gibotti, A.
Perysinakis, A. *see* Tegos, G.
Pes, M. *see* Mannu, L.
Pethick, D.W. *see* Durmic, Z.
Petrillo-Peixoto, M.L. *see* Pataro, C.
Pforte, H. *see* Schneider, H.
Pickup, R. *see* Turner, K.
Pillai, S.D. *see* Maciorowski, K.G.
Pilone, G.J. *see* Mira De Ordu K.G.
Pinna, G. *see* Budroni, M.
Pisabarro, A.G. *see* Oscáriz, J.C.
Porcar, M. & Caballero, P. Molecular and insecticidal characterization of a *Bacillus thuringiensis* strain isolated during a natural epizootic, 309
Porter, J. *see* Turner, K.
Pramateftaki, P.V., Lanaridis, P. & Typas, M A. Molecular identification of wine yeasts at species or strain level: a case study with strains from two vine-growing areas of Greece, 236
Prieto, B. *see* Vilar, I.

Quiberoni, A., Stiefel, J.I. & Reinheimer, J.A. Characterization of phage receptors in *Streptococcus thermophilus* using purified cell walls obtained by a simple protocol, 1059
Quinn, P.J. *see* Scanlon, M.P.

Räty, K. *see* Hartikainen, T.
Rawlings, D.E. *see* Gardner, M.N.
Reinheimer, J.A. *see* Quiberoni, A.
Requena, T. *see* Martinez-Cuesta, M.C.
Reuter, G. *see* Klein, G.
Ricke, S.C. *see* Durant, J.A.
Ricke, S.C. *see* Maciorowski, K.G.
Ringø, E., Bendiksen, H.R., Wesmajervi, M.S., Olsen, R.E., Jansen, P.A. & Mikkelsen, H. Lactic acid bacteria associated with the digestive tract of Atlantic salmon *(Salmo salar* L.), 317
Robertson, P.A.W. *see* Suginta, W.
Rodrigues, A.C.P., Cara, D.C., Fretez, S.H.G.G., Cunha, F.Q., Vieira, E.C., Nicoli, J.R. & Vieira, L.Q. *Saccharomyces boulardii* stimulates sIgA prodction and the phagocytic system of gnotobiotic mice, 404
Romantschuk, M. *see* Björklöf, K.
Rosa, C.A. *see* Pataro, C.
Ross, R.P. *see* Morgan, S.M.
Ross, R.P. *see* Scannell, A.G.M.
Rowbury, R.J. *see* Lazim, Z.
Russell, A.D. *see* Turner, N.A.
Rust, R.C. *see* Landre, J.P.B.
Ruuskanen, J. *see* Hartikainen, T.

Saitoh, H. *see* Kim, H.-S.
Salkinoja-Salonen, M. *see* Koskinen, R.
Sandén, T. *see* Pedersen, K.
Sangali, S. & Brandelli, A. Feather keratin hydrolysis by a *Vibrio* sp. strain kr2, 735
Sanozky-Dawes, R.B. *see* Kullen, M.J.
Santa, M. *see* Macdonald, R.
Sanz, S. *see* González-Fandos, E.
Saridakis, H.O. *see* Gibotti, A.
Saunders, K.A. & Greenman, J. The formation of mixed culture biofilms of oral species along a gradient of shear stress, 564
Savvides, A.L., Kallimanis, A., Varsaki, A., Koukkou, A.I.,

Drainas, C., Typas, M.A. & Karagouni, A.D. Simultaneous ethanol and bacterial ice nuclei production from sugar beet molasses by a *Zymomonas mobilis* CP4 mutant expressing the *inaZ* gene of *Pseudomonas syringae* in continuous culture, 1002
Scanlon, M.P. & Quinn, P.J. Inactivation of *Mycobacterium bovis* in cattle slurry by five volatile chemicals, 854
Scannell, A.G.M., Hill, C., Ross, R.P., Marx, S., Hartmeier, W. & Arendt, E.K. Continuous production of lacticin 3147 and nisin using cells immobilized in calcium alginate, 573
Schneider, F. *see* Grill, J.P.
Schneider, H., Simmering, R., Hartmann, L., Pforte, H. & Blaut, M. Degradation of quercetin-3-glucoside in gnotobiotic rats associated with human intestinal bacteria, 1027
Schulze, H. *see* Durmic, Z.
Schwarz, S. *see* Frech, G.
Scintu, M.F. *see* Mannu, L.
Setlow, B. *see* Tennen, R.
Setlow, P. *see* Tennen, R.
Shaio, M.F. *see* Shangkuan, Y.H.
Shangkuan, Y.H., Yang, J.F., Lin, H.C. & Shaio, M.F. Comparison of PCR-RFLP, ribotyping and ERIC-PCR for typing *Bacillius anthracis* and *Bacillus cereus* strains, 452
Sheridan, J.J. *see* Duffy, G.
Sheridan, J.J. *see* Mcmahon, C.M.M.
Sieiro, C. *see* Vilanova, M.
Simmering, R. *see* Schneider, H.
Simón, A. *see* González-Fandos, E.
Simonsen, G.S. *see* Borgen, K.
Sinha, I. *see* Bansal, N.
Sivonen, K. *see* Lyra, C.
Sjöström, J. *see* Wikström, P.
Skandamis, P. *see* Tsigarida, E.
Skinner, R.J. *see* Casadei, M.A.
Smalla, K. *see* Marten, P.
Smid, E.J. *see* Karatzas, A.K.
Smith, H.R. *see* Chart, H.
Smith, S.C. *see* Lee, A.
Sørensen, J. *see* Nielsen, T.H.
Sørensen, J. *see* Thrane, C.
Sreedhar, B. *see* Cheung, H.Y.
Stanker, L.H. *see* Durant, J.A.
Stewart-Tull, D.E.S. *see* Ward, G.D.
Stiefel, J.I. *see* Quiberoni, A.
Suginta, W., Robertson, P.A.W., Austin, B., Fry, S.C. & Fothergill-Gilmore, L.A. Prevalence and virulence properties of *Vibrio cholerae* non-O1, *Aeromonas* spp. and *Plesiomonas shigelloides* isolated from Cambé Stream (State of Paraná, Brazil), 76
Sun, S.Q. *see* Cheung, H.Y.
Sundsfjord, A. *see* Borgen, K.
Suzzi, G., Caruso, M., Gardini, F., Lombardi, A., Vannini, L., Guerzoni, M.E., Andrighetto, C. & Lanorte, M.T. A survey of the enterococci isolated from an artisanal Italian goat's cheese (semicotto caprino), 267
Szigeti, J. *see* Földes, T.

Tagliari, K.C. *see* Gibotti, A.
Takii, S. *see* Ishii, K.
Takumi, K., De Jonge, R. & Havelaar, A. Modelling inactivation of *Escherichia coli* by low pH: application to passage through the stomach of young and elderly people, 935
Tanner, P.A. *see* Cheung, H.Y.
Taylor, J.H., Brown, K.L., Toivenen, J. & Holah, J.T. A microbiological evaluation of warm air hand driers with respect to hand hygiene and the washroom environment, 910
Tegos, G., Vargas, C., Perysinakis, A., Koukkou, A.I., Christogianni, A., Nieto, J.J., Ventosa, A. & Drainas, C. Release of cell-free ice nuclei from *Halomonas elongata* expressing the ice nucleation gene *inaZ* of *Pseudomonas syringae*, 785
Teixidó, N. *see* Abadias, M.
Teixidó, N. *see* Costa, E.
Tenkanen, T. *see* Lyra, C.
Tennen, R., Setlow, B., Davis, K.L., Loshon, C.A. & Setlow, P. Mechanisms of killing of spores of *Bacillus subtilis* by iodine, glutaraldehyde and nitrous acid, 330
Theron, J., Cilliers, J., Du Preez, M., Brözel, V.S. & Venter, S.N. Effects of physicochemical variables and cyanobacterial extracts on the immunoassay of microcystin-LR by two ELISA kits, 539
Thrane, C. *see* Nielsen, T.H.
Thrane, C., Olsson, S., Wolstrup, J. & Sørensen, J. A NOTE: Direct microscopy of *bacillus* endospore germination in soil microcosms, 595
Toivenen, J. *see* Taylor, J.H.
Tonon, T. & Lonvaud-Funel, A. Bactericidal action of high-power Nd:YAG laser light on *Escherichia coli* in saline suspension, 526
Tornadijo, M.E. *see* Vilar, I.
Torsti, A.-M. *see* Lyra, C.
Tsigarida, E., Skandamis, P. & Nychas, G-J.E. Behaviour of *Listeria monocytogenes* and autochthonous flora on meat stored under aerobic, vacuum and modified atmosphere packaging conditions with or without the presence of oregano essential oil at 5°C, 901
Tsitko, I. *see* Koskinen, R.
Tuinier, R. *see* Looijesteijn, P.J.
Turkson, P.K. *see* Davies, P.R.
Turner, C., Williams, S.M. & Cumby, T.R. The inactivation of foot and mouth disease, Aujeszky's disease and classical swine fever viruses in pig slurry, 760
Turner, K., Porter, J., Pickup, R. & Edwards, C. Production of catalase and glucose oxidase by *Aspergillus niger* using unconventional oxygenation of culture, 90

Turner, N.A., Harris, J., Russell, A.D. & Lloyd, D. Microbial differentiation and changes in susceptibility to antimicrobial agents, 751
Typas, M A. *see* Pramateftaki, P.V.
Typas, M.A. *see* Savvides, A.L.

Udomvaraphant, S. *see* Panbangred, W.
Usall, J. *see* Abadias, M.
Usall, J. *see* Costa, E.

Van Casteren, W.H.M. *see* Looijesteijn, P.J.
Van Doorne, H. *see* Bosche, E.H.
Van Poucke, S.O. & Nelis, H.J. A 210-min solid phase cytometry test for the enumeration of *Escherichia coli* in drinking water, 390
Van Rooijen, R. *see* Attfield, P.V.
Vannini, L. *see* Suzzi, G.
Varga, L. *see* Földes, T.
Vargas, C. *see* Tegos, G.
Varsaki, A. *see* Savvides, A.L.
Veal, D.A. *see* Attfield, P.V.
Venter, S.N. *see* Theron, J.
Ventosa, A. *see* Tegos, G.
Vieira, E.C. *see* Rodrigues, A.C.P.
Vieira, L.Q. *see* Rodrigues, A.C.P.
Vilanova, M., Blanco, P., Cortés, S., Castro, M., Villa, T.G. & Sieiro, C. Use of a *PGU1* recombinant *Saccharomyces cerevisiae* strain in oenological fermentations, 876
Vilar, I., García Fontán, M,C, Prieto, B., Tornadijo, M.E. & Carballo, J. A survey on the microbiological changes during the manufacture of dry-cured lacón, a Spanish traditional meat product, 1018
Villa, T.G. *see* Vilanova, M.
Viilanova,*see* Abadias, M.
Vibadias, *see* Costa, E.
Virdi, J.S. *see* Bansal, N.
Vogensen, F.K. *see* Christensen, H.
Vomberg, A. & Klinner, U. Distribution of *alkB* genes within n-alkane-degrading bacteria, 339
Von Wright, A. *see* Hartikainen, T.

Wadström, T. *see* Ascencio, F.
Walker, A. *see* Karpouzas, D.G.
Wang, R.K. *see* Ward, G.D.
Ward, G.D., Watson, I.A., Stewart-Tull, D.E.S., Wardlaw, A.C., Wang, R.K., Nutley, M.A. & Cooper, A. Use of the DNA sequence of variable regions of the 16S rRNA gene for rapid and accurate identification of bacteria in the *Lactobacillus acidophilus* complex, 517
Wardlaw, A.C. *see* Ward, G.D.
Wasteson, Y. *see* Borgen, K.
Watson, I.A. *see* Ward, G.D.
Weber, M. *see* Fiorina, J.C.
Weeradechapon, K. *see* Panbangred, W.
Weimer, B.C. *see* Koka, R.
Weissinger, W.R. *see* Burnett, S.L.
Wesmajervi, M.S. *see* Ringø, E.
Wikström, P., Andersson, A.-C., Nygren, Y., Sjöström, J. & Forsman, M. Influence of TNT transformation on microbial community structure in four different lake microcosms, 302
Williams, S.M. *see* Turner, C.
Wilson, M. *see* Morgan, T.D.
Winder, C.L., Al-Adham, I.S.I., Abdel Malek, S.M.A., Buultjens, T.E.J., Horrocks, A.J. & Collier, P.J. Outer membrane protein shifts in biocide resistant *Pseudomonas aeruginosa* PAO1, 289
Winters, A.L., Cockburn, J.E., Dhanoa, M.S. & Merry, R.J. Effects of lactic acid bacteria in inoculants on changes in amino acid composition during ensilage of sterile and non-sterile ryegrass, 442
Wolstrup, J. *see* Thrane, C.
Woodward, M.J. *see* Chart, H.

Yamashita, S. *see* Kim, H.-S.
Yang, J.F. *see* Shangkuan, Y.H.
Yap, N.A., De Barros Lopes, M., Langridge, P. & Henschke, P.A. The incidence of killer activity of non-*Saccharomyces* yeasts towards indigenous yeast species of grape must: potential application in wine fermentation, 381
Yoon, B.-D. *see* Lee, S.J.

Zaccone, R. *see* Caruso, G.
Zahar, M. *see* Benkerroum, N.

Index of Subjects

16S rRNA variable regions of *Lact. acidophilus* complex (M.J. Kullen, R.B. Sanozky-Dawes, DC. Crowell & T.R. Klaenhammer) 511
16S to 23S rRNA spacer of *Salmonella enterica* (H. Christensen, P.L. Møller, F.K. Vogensen & J.E. Olsen) 130

A *BT* strain toxic to lepidoptera (M. Porcar & P. Caballero) 309
Activities of carboxylesterases from *Streptomyces* (R. Gandolfi, F. Marinelli, A. Lazzarini & F. Molinari) 870
Aerial *vs* submerged spores of *P. oxalicum* (S. Pascual, A. De Cal, N. Magan & P. Melgarejo) 847
alkB genes within bacteria (A. Vomberg & U. Klinner) 339
Amino acid changes during ensilage (A.L. Winters, J.E. Cockburn, M.S. Dhanoa & R.J. Merry) 442
Analysis of a denitrifying microbial population (J.R. Firth & C. Edwards) 123
Anti-adhesive denture acrylic (T.D. Morgan & M. Wilson) 617
Antimicrobial mechanisms of SLPS (T. Hamouda & J.R. Baker) 397
Autolysis of dairy leuconostocs (R. Cibik & M.-P. Chapot-Chartier) 862

Bacteria in stormwater treatment (C.M. Davies & H.J. Bavor) 349
Bacterial isolates from a stream (A. Gibotti, H.O. Saridakis, J.S. Pelayo, K.C. Tagliari & D.P. Falcão) 70
Bacterial lectins and hydrophobicity (J.C. Fiorina, M. Weber & J.C. Block) 494
B-group vitamin production by *Azotobacter* strains (J.J. Revillas, B. Rodelas, C. Pozo, M.V. Martínez-Toledo & J. González-López) 486
Biodiversity in wild lactococci (L. Mannu, A. Paba, M. Pes & M.F. Scintu) 191
Biofilm development of *Ps. aeruginosa* on aluminium plates (H.Y. Cheung, S.Q. Sun, B. Sreedhar, W.M. Ching & P.A. Tanner)100

Campylobacter cytotoxin detection (A. Lee, S.C. Smith & P.J. Coloe) 719
Campylobacter enrichment media (C.L. Baylis, S. MacPhee, K.W. Martin, T.J. Humphrey & R.P. Betts) 884
Cancer cell-killing Bacillus thuringiensis (H.-S. Kim, S. Yamashita, T. Akao, H. Saitoh, K. Higuchi, Y.S. Park, E. Mizuki & M. Ohba) 16
Cell-free ice nuclei from *H. elongata* (G. Tegos, C. Vargas, A. Perysinakis, A.I. Koukkou, A. Christogianni, J.J. Nieto, A. Ventosa & C. Drainas) 785
Characterization of cerein 7 (Bc7 J.C. Oscáriz & A.G. Pisabarro) 361
Characterization of *S. cerevisiae flor* strains (M. Budroni, G. Giordano, G. Pinna & G.A. Farris) 657
Chitinases from Vibrio (W. Suginta, P.A.W. Robertson, B. Austin, S.C. Fry & L.A. Fothergill-Gilmore) 76
Collagen-binding proteins in *Aeromonas veronii* (F. Ascencio, T.R. Hirst & T. Wadström) 607
Combined action of S-carvone and mild heat (Scott A A.K. Karatzas, M.H.J. Bennik, E.J. Smid & E.P.W. Kets) 296
Combined effect of oregano and VP/MAP on *Listeria monocytogenes* (Tsigarida, P. Skandamis & G-J.E. Nychas) 901
Comparison of BPW for *Salmonella* (C.L. Baylis, S. MacPhee & R.P. Betts) 501
Component changes in tea fungus metabolites (C. Chen & B.Y. Liu) 834
Continuous production of lacticin (A.G.M. Scannell, C. Hill, R.P. Ross, S. Marx, W. Hartmeier & E.K. Arendt) 573
Cryptosporidia and *Cryptosporidium parvum* oocysts in water (S. Hallier-Soulier & E. Guillot) 5
Cyanobacterial restriction endonucleases (C. Lyra, T. Halme, A.-M. Torsti, T. Tenkanen & K. Sivonen) 979

Decontamination of pig slurry (C. Turner, S.M. Williams & T.R. Cumby) 760
Degradation of arginine by *Oenococcus oeni* (T. Tonon & A. Lonvaud-Funel) 526
Degradation of quercetin-3-glucoside (H. Schneider, R. Simmering, L. Hartmann, H. Pforte & M. Blaut) 1027
Detection of antibiotic effects by SPC (E. D'Haese & H.J. Nelis) 778
Detection of antimicrobials (S.M. Morgan, R. Hickey, R.P. Ross & C. Hill) 56
Detection of astrovirus in sludge (C.D. Chapron, N.A. Ballester & A.B. Margolin) 11
Detection of *Salmonella* spp. in animal feeds (K.G. Maciorowski, S.D. Pillai & S.C. Ricke) 710
Detection of toxigenic *Vibrio cholerae* (J. Theron, J. Cilliers, M. du Preez, V.S. Brözel & S.N. Venter) 539
Diet, microbiota and swine (Z. Durmic, D.W. Pethick, B.P. Mullan, H. Schulze, J.M. Accioly & D.J. Hampson) 678
Differentiation of *Bacillus subtilis* (P. Marten, K. Smalla & G. Berg) 463
Differentiation of Lactobacilli (A. Nigatu) 969
Differentiation of toxigenic fungi using fungal volatiles (G. Keshri & N. Magan) 825
DNA extraction from dairy foods (J.L. McKillip, L.A. Jaykus & M.A. Drake) 49
Drug uptake via nutrient transporters in *Trypanosoma brucei* (M.-P. Hasne & M.P. Barrett) 697

E. coli killing by Nd:YAG laser (G.D. Ward, I.A. Watson, D.E.S. Stewart-Tull, A.C. Wardlaw, R.K. Wang, M.A. Nutley & A. Cooper) 517
Effect of packaging on mushroom quality (E. González-Fandos, M. Giménez, C. Olarte, S. Sanz & A. Simón) 624
Endospore germination in soil (C. Thrane, S. Olsson, J. Wolstrup & J. Sørensen) 595
Enterococci from goat's cheese (G. Suzzi, M. Caruso, F. Gardini, A. Lombardi, L. Vannini, M.E. Guerzoni, C. Andrighetto & M.T. Lanorte) 267
Enzyme expression in *Aer. hydrophila* (M.A.S. McMahon) 415
EPS production by *L. lactis* (P.J. Looijesteijn, W.H.M. van Casteren, R. Tuinier, C.H.L. Doeswijk-Voragen & J. Hugenholtz) 116
Evaluation of 210-min *E. coli* test (S.O. Van Poucke & H.J. Nelis) 390
Evaluation of warm air hand driers (J.H. Taylor, K.L. Brown, J. Toivenen & J.T. Holah) 910
Extracellular components and alkylhydroperoxide tolerance (Z. Lazim & R.J. Rowbury) 651

Feather degradation by *Vibrio* sp. (S. Sangali & A. Brandelli) 735
Fluorogenic esters and bacterial activity assessment (Parthuisot, P. Catala, K. Lemarchand, J. Baudart & P. Lebaron) 370

Glycopeptide resistance (G. Klein, C. Hallmann, I.A. Casas, J. Abad, J. Louwers & G. Reuter) 815

Heat shock phenomenon in Yersinia and Listeria (C.M.M. McMahon, C.M. Byrne, J.J. Sheridan, D.A. McDowell, I.S. Blair & T. Hegarty) 198
HilA in *Salm. typhimurium* (J.A. Durant, D.E. Corrier, L.H. Stanker & S.C. Ricke) 63
Hygiene control method (N. Oulahal-Lagsir, A. Martial-Gros, M. Bonneau & L.J. Blum) 433

Inactivation of *E. coli* in the human stomach (K. Takumi, R. de Jonge & A. Havelaar) 935
Inactivation of *M. bovis* in cattle slurry (M.P. Scanlon & P.J. Quinn) 854
Incorporation of EPA and DHA by a yeast (FO726A) (X. Guo & Y. Ota) 107
Immunodetection of *Vibrio vulnificus* serovar e (E. Marco-Noales, E.G. Biosca, M. Milán & C. Amaro) 599
Immunomodulation by probiotic (A.C.P. Rodrigues, D.C. Cara, S.H.G.G. Fretez, F.Q. Cunha, E.C. Vieira, J.R. Nicoli & L.Q. Vieira) 404
Improving recovery of sublethally stressed *Listeria monocytogenes* (N. Gnanou Besse, F. Dubois Brissonnet, V. Lafarge & V. Leclerc) 944
Isolation and screening of antagonists (T. Földes, I. Bánhegyi, Z. Herpai, L. Varga & J. Szigeti) 840

Killer yeast activity in winemaking (N.A. Yap, M. de Barros Lopes, P. Langridge & P.A. Henschke) 381

LAB in Atlantic salmon *(Salmo salar* L.) (E. Ringø, H.R. Bendiksen, M.S. Wesmajervi, R.E. Olsen, P.A. Jansen & H. Mikkelsen) 317
Lactobacillus amylovorus in CBSH (J.P. Grill, C. Cayuela, J.M. Antoine & F. Schneider) 553
Lactobacillus strains in Ricotta forte (F. Baruzzi, M. Morea, A. Matarante & P.S. Cocconcelli) 807
LAP activity in aquatic ecosystems (G. Caruso & R. Zaccone) 951
Listeria control in fresh cheese (N. Benkerroum, H. Oubel, M. Zahar, S. Dlia & A. Filali-Maltouf) 960

Malolactic arginine metabolism (R. Mira de Orduña, S.Q. Liu, M.L. Patchett & G.J. Pilone) 547
Membrane-active microemulsions (I.S.I. Al-Adham, E. Khalil, N.D. Al-Hmoud, M. Kierans & P.J. Collier) 32
Metabolic activity of streptomycetes (E.A. Katsifas, T.G. Koraki & A.D. Karagouni) 178
Microbial community and fate of TNT transformation (P. Wikström, A.-C. Andersson, Y. Nygren, J. Sjöström & M. Forsman 302
Microbial degradation of DDT (A.L. Juhasz & R. Naidu) 642
Microbial differentiation (N.A. Turner, J. Harris, A.D. Russell & D. Lloyd) 751
Microbial succession during a composting (K. Ishii, M. Fukui & S. Takii) 768
Microbiology of dry-cured lacón (I. Vilar, M,C, García Fontán, B. Prieto, M.E. Tornadijo & J. Carballo) 1018
Microcystin content of *Microcystis aeruginosa* (S.J. Lee, M.-H. Jang, H.-S. Kim, B.-D. Yoon & H.M. Oh) 323
Microcystin ELISA performance (J.S. Metcalf, P. Hyenstrand, K.A. Beattie & G.A. Codd) 532
Molecular typing of Greek wine yeasts strains (P.V. Pramateftaki, P. Lanaridis & M A. Typas) 236

New bacteriophage from *Vibrio harveyi* (H.J. Oakey & L. Owens) 702
Nutrients affect rRNA and CFA profiles (M.J. Hopkins & G.T. MacFarlane) 668

Paenibacillus polymyxa heat resistance and organic acids (M.A. Casadei, R. Ingram, R.J. Skinner & J.E. Gaze) 801
Pantoea agglomerans freeze-drying (E. Costa, J. Usall, N. Teixidó, N. Garcia & I. Viñas) 793
Pathogenicity of *Escherichia coli* (H. Chart, H.R. Smith, R.M. La Ragione & M.J. Woodward) 1048
Penicillin G acylase from *Bacillus megaterium* (W. Panbangred, K. Weeradechapon, S. Udomvaraphant, K. Fujiyama & V. Meevootisom) 152
PGU1 recombinant wine yeast strain (M. Vilanova, P. Blanco, S. Cortés, M. Castro, T.G. Villa & C. Sieiro) 876

Phage receptors of *Streptococcus thermophilus* (A. Quiberoni, J.I. Stiefel & J.A. Reinheimer) 1059
Phytoplasmas in insects (S. Palmano & G. Firrao) 744
Production of catalase and glucose oxidase (J. Fiedurek & A. Gromada) 85
Ps. putida ethoprophos-degrading strains (D.G. Karpouzas & A. Walker) 40
Ps. syringae on the leaf surface (K. Björklöf, E.-L. Nurmiaho-Lassila, N. Klinger, K. Haahtela & M. Romantschuk) 423
Purification of *Pseudomonas fluorescens* protease (R. Koka & B. C. Weimer) 280

Rehydration of dried yeasts (P. V. Attfield, S. Kletsas, D. A. Veal, R. van Rooijen & P. J. L. Bell) 207
Resistance profiling and DNA Fingerprinting *Campylobacter* spp. (B. Lucey, C. Feurer, P. Greer, P. Moloney, B. Cryan & S. Fanning) 727
Response of a biofilm to a dispersant (R. MacDonald, M. Santa & V.S. Brözel) 225
Response of *Aer. hydrophila* to H_2O_2 (J.P.B. Landre, A.A. Gavriel, R.C. Rust & A.J. Lamb) 145
Rhamnolipids: uptake/mineralization (R. Beal & W.B. Betts) 158
Rhodanese in biomining bacteria (M.N. Gardner & D.E. Rawlings) 185

Salmonella in peanut butter spread (S.L. Burnett, E.R. Gehm, W.R. Weissinger & L.R. Beuchat) 472
Salmonella in swine faeces (P.R. Davies, P.K. Turkson, J.A. Funk, M.A. Nichols, S.R. Ladely & P.J. Fedorka-Cray) 169
Salmonella survival in domestic toilets (J. Barker & S.F. Bloomfield) 137
Shear stress and biofilm formation (K.A. Saunders & J. Greenman) 564
Simultaneous ethanol and ice nuclei production (A.L. Savvides, A. Kallimanis, A. Varsaki, A.I. Koukkou, C. Drainas, M.A. Typas & A.D. Karagouni) 1002
Sphingomonas in drinking water distribution (R. Koskinen, T. Ali-Vehmas, P. Kämpfer, M. Laurikkala, I. Tsitko, E. Kostyal, F. Atroshi & M. Salkinoja-Salonen) 687
Spoilage of cold-smoked salmon (L.V. Jørgensen, H.H. Huss & P. Dalgaard) 920
Spore killing by chemical agents (R. Tennen, B. Setlow, K.L. Davis, C.A. Loshon & P. Setlow) 330
Stability of lactoperoxidase-system (E. H. Bosche, H. van Doorne, & S. De Vries) 215
Susceptibility testing (R.J.W. Lambert) 275

Tensin, a new antifungal lipopeptide (T.H. Nielsen, C. Thrane, C. Christophersen, U. Anthoni & J. Sørensen) 992
tet genes of *Salmonella isolates* (G. Frech & S. Schwarz) 633
Thermal stress on *Campylobacter* (J.E. Moore & R.H. Madden) 892
T-OMP and biocide resistance in *Pseudomonas aeruginosa* (C.L. Winder, I.S.I. Al-Adham, S.M.A. Abdel Malek, T.E.J. Buultjens, A.J. Horrocks & P.J. Collier) 289
T. strain TJ330 oxidizing CS_2 (T. Hartikainen, J. Ruuskanen, K. Räty, A. von Wright & P.J. Martikainen) 580
Two-peptide lantibiotic from *Lactococcus lactis* (M. C. Martinez-Cuesta, G. Buist, J. Kok, H.H. Hauge, J. Nissen-Meyer, C. Peláez & T. Requena) 249
Typing *B. anthracis* and *B. cereus* (Y.H. Shangkuan, J.F. Yang, H.C. Lin & M.F. Shaio) 452

Viability of bacteria in bentonite clay (K. Pedersen, M. Motamedi, O. Karnland & T. Sandén) 1038
Viability of starved S. typhimurium (K. Turner, J. Porter, R. Pickup & C. Edwards) 90
Viability stain for *Salmonella* spp. (G. Duffy, B. Kilbride, J.J. Sheridan, I.S. Blair & D.A. McDowell) 587
Vibrios in brackish lakes (T.L. Maugeri, D. Caccamo & C. Gugliandolo) 261
VRE on poultry farms after avoparcin ban (K. Borgen, G.S. Simonsen, A. Sundsfjord, Y. Wasteson, Ø. Olsvik & H. Kruse) 478

Water stress responses of *Candida sake* (M. Abadias, N. Teixidó, J. Usall, I. Viñas & N. Magan) 1009

Yeasts from artisanal fermentation (C. Pataro, J.B. Guerra, M.L. Petrillo-Peixoto, L.C. Mendonça-Hagler, V.R. Linardi & C.A. Rosa) 24
Yersinia enterocolitica susceptibility (N. Bansal, I. Sinha & J.S. Virdi) 663